

INDEX MAPS.

T. 21 N. R. 8 E. 2nd Mer.

	479	479	479	479	478	478
481	6	5	4	3	2	1 478
481	7	8	9	10	11	12 477
481	18	17	16	15	14	13 477
480	19	20	21	22	23	24 477
480	30	29	28	27	26	25 476
480	31	32	33	34	35	36 476
	476	475	475	475	475	475

Vol. 19.
 Township Sec.
 Residue of this Township Sec.

Township 21 North, Range 8 East 2nd Mer. Ind.

South Boundary.

West on S. Side of Sec. 36

- 40.00 Set q. Sec. post from which
a Cherry 10 in. diam. bears N 5 E 10 W. dist. 8
a W. Oak 10 " " " S 9 E 21 " "
80.00 Set post cor. to Secs. 35 & 36 from which
a Buck 20 in. diam. bears N 51 W 23 W. dist. 8
a Do 24 " " " S 51 E 36 " "

West on S. Side of Sec. 35

- 40.00 Set q. Sec. post from which
an Oak 12 in. diam. bears N 35 E 20 W. dist. 8
a Buck 12 " " " S 52 E 18 " "
80.00 Set post cor. to Secs. 34 & 35 from which
a Buck 10 in. diam. bears N 40 W 7 W. dist. 8
a Do 9 " " " N 61 E 11 " "

West on S. Side of Sec. 34

- 40.00 Set q. Sec. post from which
an Ironwood 6 in. diam. bears S 5 E 25 W. dist. 8
a Buck 16 " " " S 62 W 28 " "
80.00 Set post cor. to Secs. 33 & 34 from which
a Buck 24 in. diam. bears N 78 E 24 W. dist. 8
a Do 12 " " " S 63 W 20 " "

West on S. Side of Sec. 33

- 40.00 Set q. Sec. post from which
a Buck 12 in. diam. bears East 13 W. dist. 9
a Do 10 " " " West 11 " "
80.00 Set post cor. to Secs. 32 & 33 from which
a Buck 9 in. diam. bears N 10 E 6 W. dist. 8
a Do 5 " " " S 19 W 5 " "

West on S. Side of Sec. 32

- 40.00 Set q. Sec. post from which

Twp 21 N. - R. 8 E. 9th Mer. Indiana.

a Hickory 10 in. diam. bears $49^{\circ} 17' 6''$ W. dist. 5
 a Beech 12 " " " $48^{\circ} 1' 24''$ " "
 80.00 Set post cor. to Sec. 31 & 32 from which
 a Beech 12 in. diam. bears $134^{\circ} 17' 30''$ W. dist. 5
 a Do 14 " " " $43^{\circ} 1' 30''$ " "

West on S. Side of Sec. 31

40.00 Set q. Sec. post from which
 a Bur Oak 48 in. diam. bears $138^{\circ} 8' 93''$ W. dist. 5
 an Elm 10 " " " $113^{\circ} 8' 48''$ " "
 83.18 Intersect Range line $14^{\circ} 75'$ South of Temp.
 post - when set post cor. to Towns 28 & 29 North,
 Ranges 7 & 8 East - from which
 a Beech 10 in. diam. bears $176^{\circ} 8' 10''$ W. dist. 5
 a Sugar 18 " " " $135^{\circ} 17' 26''$ " "
 Description of Land & Timber on this, and
 the preceding five miles, omitted.

East Boundary.

Var. $6^{\circ} 35' E$

North on E. Side of Sec. 36-

5.90 a Beech 28 in. diam.
 40.00 Set q. Sec. post from which
 a Beech 20 in. diam. bears $131^{\circ} - 42'$ W. dist. 5
 a Do 12 " " " South 33° " "
 63.90 a Do 30 " " "
 76.00 a Creek 75 W. wide Course S. W.
 80.00 Set post cor. to Sec. 25 & 36 from which
 an Elm 30 in. diam. bears $181^{\circ} 17' 11''$ W. dist. 5
 an Ironwood 9 " " " $88^{\circ} 8' 20''$ " "
 Good Beech, Sand and undergrowth Spruce &c
 December 29th 1819-

North on E. Side of Sec. 25

13.00 a Creek 25 W. wide Course S. W.
 39.54 a Branch 10 " " " No.

477

W. D. N. - R. & E. Ind. Mer. Indiana.

- 40.00 Set g. Sec. post from which
 a Buckeye 12 in. diam. bears N 43 3/4 W. dist. 9
 a Do 12 " " " S 22 7/8 36 " "
- 54.00 a Branch 10 W. side Corn S. W.
- 54.75 a Maple 24 in. diam.
- 80.00 Set post en. to Sec. 24 & 25 from which
 a Maple 6 in. diam. bears S 53 E 3 1/2 W. dist. 9
 an Ash 12 " " " N 57 E 6 " "
 Sand & Timber same as on the last line -

North on E. Side of Sec. 24 -

- 23.04 a Buck 30 in. diam.
- 40.00 Set g. Sec. post from which
 a Buck 9 in. diam. bears N 33 E 30 W. dist. 9
 a Do 12 " " " S 34 E 10 " "
- 55.68 a Do 18 " "
- 80.00 Set post en. to Sec. 13 & 24 from which
 a Buck 12 in. diam. bears N 50 E 7 1/2 W. dist. 9
 a Do 20 " " " S 87 W 25 " "
 Sand & Timber same as on the last line

North on E. Side of Sec. 13

- 12.00 a Brw Oak 36 in. diam.
- 40.00 Set g. Sec. post from which
 a Buck 12 in. diam. bears N 56 W 19 W. dist. 9
 a Do 10 " " " S 44 E 11 " "
- 67.51 a Do 14 " "
- 80.00 Set post en. to Sec. 12 & 13 from which
 an Elm 42 in. diam. bears S 56 E 3 1/2 W. dist. 9
 a Hornbeam 4 " " " N 36 W 3 " "
 Sand & Timber same as on the last line -

North on E. Side of Sec. 12

- 36.80 a R. Oak 48 in. diam.
- 40.00 Set g. Sec. post from which
 a Lym 12 in. diam. bears N 20 E 7 1/2 W. dist. 9

21 N. - R. 8 E. 2nd Mer. Indiana.

a Hornbeam 6 in. diam. bears S 20 W 10 mi. dist.
 45.30 an Elm 18 " " "
 80.00 Set post cor. to Sec. 1 & 2 from which
 a Beech 24 in. diam. bears N 72 E 21 mi. dist.
 a Sugar 18 " " " S 80 W 28 " "
 Land & Timber same as on the last line -

North on E. Side of Sec. 1

38.34 a Hickory 24 in. diam.
 40.00 Set q. Sec. post from which
 an Ash 12 in. diam. bears N 80 W 8 mi. dist.
 a Beech 12 " " " N 76 E 26 " "
 53.40 an Elm 18 " "
 80.00 Set temp. Township corner post -
 Land & Timber same as on the last line -

North Boundary Var. 6° 15' E.

West on S. Side of Sec. 36 T. 22 N. - R. 8 E.

40.00 Set q. Sec. post from which
 an Elm 24 in. diam. bears S 54 W 15 mi. dist.
 a W. Oak 8 " " " N 71 E 44 " "
 80.00 Set post cor. to Sec. 35 & 36 from which
 a W. Oak 12 in. diam. bears S 28 W 7 mi. dist.
 a Hickory 8 " " " N 64 E 21 " "
 Rich Land, Timber Beech, Sugar, Ash & ung. Spec.

West on S. Side of Sec. 35 T. 22 N. - R. 8 E.

40.00 Set q. Sec. post from which
 a Beech 12 in. diam. bears S 79 W 38 mi. dist.
 an Elm 12 " " " N 52 E 21 " "
 80.00 Set post cor. to Sec. 34 & 35 from which
 a Beech 24 in. diam. bears S 85 W 32 mi. dist.
 a Do 8 " " " N 66 E 10 " "
 Land, Timber & ung. same as on the last line.

479

T. 21 N. - R. 8 E. 2nd Mer. Indiana.

West on S. Side of Sec. 34 T. 22 N. - R. 8 E.
 40.00 Set g. Sec. post from which
 a Beech 10 in. diam. bears N 82 W 30 W. dist. 8
 a Do 12 " " " " S 87 E 22 " "
 80.00 Set post cu. to Secs. 33 & 34 from which
 a Beech 12 in. diam. bears N 37 E 10 W. dist. 8
 a Do 12 " " " " S 79 W 44 " "
 Sand & Timber same as on the last line

West on S. Side of Sec. 33 T. 22 N. - R. 8 E.
 40.00 Set g. Sec. post from which
 a Buckeye 12 in. diam. bears N 70 W 11 W. dist. 8
 a Beech 10 " " " " S 72 W 20 " "
 80.00 Set post cu. to Secs. 32 & 33 from which
 a Beech 10 in. diam. bears N 65 W 10 W. dist. 8
 a Do 12 " " " " N 82 E 31 " "
 Sand & Timber same as on the last line.

West on S. Side of Sec. 32 T. 22 N. - R. 8 E.
 40.00 Set g. Sec. post from which
 a Beech 10 in. diam. bears S 86 W 10 W. dist. 8
 a Sugar 18 " " " " N 63 E 21 " "
 80.00 Set post cu. to Secs. 31 & 32 from which
 a Hickory 10 in. diam. bears S 1 E 3 W. dist. 8
 a Sugar 24 " " " " N 57 W 5 " "
 Sand & Timber same as on the last line.

West on S. Side of Sec. 31 T. 22 N. - R. 8 E.
 40.00 Set g. Sec. post from which
 an Ironwood 8 in. diam. bears S 49 E 12 W. dist. 8
 an Ash 6 " " " " S 78 W 4 " "
 80.00 Intersect Range line 150 W. of temp. post. where
 Set post cu. to Towns 24 & 25 N. Range 7 & 8 E. from which
 an Ash 12 in. diam. bears S 49 E 23 W. dist. 8
 a Beech 12 " " " " N 25 E 43 " "
 Sand & as before January 2nd 1820

West Boundary.

Var. 6° 15' E.

North on E. Side of Sec. 36 T. 21 N. - R. 7 E.

15.50 an Ash 24 in. diam.

40.00 Let gr. Sec. post from which

an Elm 14 in. diam. bears N 64 W 26 W. dist. 8

an Ash 9 " " " S 33 E 10 " "

70.39 a Maple 36 " "

80.00 Let post con. to Secs. 25 & 36 from which

a Sugar 30 in. diam. bears N 16 E 11 W. dist. 8

a Poplar 48 " " " S 72 W 21 " "

2nd rate Buck & Sugar Land, along Spies &c

North on E. Side of Sec. 25 T. 21 N. - R. 7 E.

9.76 an Ash 36 in. diam.

40.00 Let gr. Sec. post from which

a R. Oak 20 in. diam. bears N 4 E 4 W. dist. 8

a Buck 9 " " " S 74 W 11 " "

50.20 a Poplar 20 " "

80.00 Let post con. to Secs. 24 & 25 from which

an Ash 12 in. diam. bears N 70 W 17 W. dist. 8

a Sugar 4 " " " S 60 W 11 " "

Rich Land, Walnut, Buck, Sugar &c

January 1st 1820 -

North on E. Side of Sec. 24 T. 21 N. - R. 7 E.

2.00 a buck 20 W. ends corner S. W.

a Branch 5 " " " E. W.

32.30 a Buck 30 in. diam.

40.00 Let gr. Sec. post from which

a Cherry 18 in. diam. bears N 57 W 17 W. dist. 8

an Elm 8 " " " S 50 E 18 " "

60.00 a Spring branch 4 W. ends corner W.

63.50 a Buck 50 " " " E. W.

68.40 a Buck 24 in. diam.

80.00 Let post con. to Secs. 13 & 24 - from which

481

Sec. 21 N. - R. 8 E. 2nd Mo. Indiana.

a Beech 12 in. diam. bears N 31 W 32 W. dist. 9
 a Do 14 " " " " 31 E 3 " "
 Sand & Timber Same as on the last line -

North on E. Side of Sec. 13 T. 21 N. - R. 7 E -

11.05 a Sugar 24 in. diam.
 40.00 Set g. Sec. post from which
 a Beech 20 in. diam. bears South 4 W. dist. 8
 a Do 8 " " " N 5 E 16 " "
 46.70 a W. Oak 60 " "
 80.00 Set post cor. to Secs. 12 & 13 from which
 a Beech 13 in. diam. bears North 26 W. dist. 8
 a Do 16 " " " 37 E 22 " "
 Sand & Timber Same as on the last line.

North on E. Side of Sec. 12 T. 21 N. - R. 7 E -

11.23 an Ash 20 in. diam.
 17.50 a Beech 6 W. wide corner S. W.
 40.00 Set g. Sec. post from which
 a Sugar 12 in. diam. bears N 25 W 12 W. dist. 9
 a Do 18 " " " 68 E 20 " "
 60.00 a W. Oak 42 " "
 80.00 Set post cor. to Secs. 1 & 12 from which
 a Beech 15 in. diam. bears N 53 W 9 W. dist. 8
 a Do 9 " " " 48 E 13 " "
 Sand & Timber Same as on the last line -

North on E. Side of Sec. 1 T. 21 N. - R. 7 E -

33.48 an Ash 30 in. diam.
 40.00 Set g. Sec. post from which
 a Beech 20 in. diam. bears East 25 W. dist. 8
 a Do 10 " " " 57 W 8 " "
 63.60 an Elm 18 " "
 80.00 Set temp. Township corner post -

January 2nd 1820 Surveyed by
 John & James H. Mc. Donald D. S.

W 21 N. - R. 8 E. 2nd Mer. Indiana

Subdivision

North Return Sect. 35 & 36 -

- 23.77 a Hickory 16 in. diam.
 40.00 Let gr. Sec. post from which
 a Buck 19 in. diam. bears S 40 W 13 W. dist. 1
 a Do 20 " " " N 10 E 35 " "
 54.42 a Bur Oak 48 " "
 80.00 Let post en. to Sect. 25, 26, 35 & 36 fr. which
 a Buck 28 in. diam. bears S 5 W 11 W. dist. 4
 a Do 6 " " " N 39 E 21 " "
 Sand. lent. & rich Ash. Buck. Sugar &
 maple, Spruce, Ironwood &c

East on Random Return Sect. 25 & 36.

- 30.45 a Stream 15 W. wide corner S.
 40.00 Let temp. gr. Sec. post.
 73.46 a Stream 12 W. wide corner S. E.
 79.81 Put out E. Bound. line 148 W. N. of post.

West Corner Return Sect. 25 & 36 -

- 39.90 Let gr. Sec. post at corner div. from which
 a Buck 16 in. diam. bears N 50 E 16 W. dist. 8
 a Do 6 " " " S 22 W 22 " "
 79.81 To Sec. Corner.

North Return Sect. 25 & 26 -

- 17.90 a B. Ash 20 in. diam.
 38.10 a Hickory 5 " "
 40.00 Let gr. Sec. post from which
 a Buck 12 in. diam. bears S 25 W 21 W. dist. 4
 a Do 24 " " " N 3 E 37 " "
 58.60 a Do 20 " "
 80.00 Let post en. to Sect. 23, 24, 25 & 26 from which
 a Buck 24 in. diam. bears S 70 E 30 W. dist. 4
 a Do 36 " " " N 60 W 15 " "

M. 21 N. - R. 8 E. 2nd Sec. Indiana.

East and Random Viterum Secs. 24 & 25 -
 40.00 Set temp. gr. Sec. post -
 79.90 Entered at Bound. line 150 W. N. of post.

West Corner Viterum Secs. 24 & 25 -
 39.95 Set gr. Sec. post at an angle dist. from which
 at B. ash 3 in. diam. bears N 36 E 44 W. dist. 9
 at Buck 16 " " " North 73 " "
 79.90 To Sec. corner. October 27th 1822 -

North Viterum Secs. 23 & 24
 11.39 an Elm 18 in. diam.
 35.42 " Do 26 " "
 40.00 Set gr. Sec. Post from which
 at Buck 14 in. diam. bears N 38 E 21 W. dist. 9
 an Ironwood 4 " " " N 50 W 4 " "
 60.02 at Buck 24 " "
 80.00 Set post on. to Secs. 13, 14, 23 & 24 fr. which
 at Buck 11 in. diam. bears S 16 E 31 W. dist. 9
 an Ironwood 5 " " " N 25 W 21 " "

East and Random Viterum Secs. 13 & 24 -
 40.00 Set temp. gr. Sec. post -
 80.00 Entered at Bound. line 114 W. N. of post.

West Corner Viterum Secs. 13 & 24 -
 40.00 Set gr. Sec. Post at an angle dist. from which
 at Buck 24 in. diam. bears N 37 E 22 W. dist. 9
 at Hickory 21 " " " S 42 W 18 " "
 80.00 To Sec. corner.

North Viterum Secs. 13 & 14
 30.43 at B. ash 24 in. diam.
 40.00 Set gr. Sec. post from which
 at Hickory 30 in. diam. bears S 14 W 16 W. dist. 9
 at W. Oak 8 " " " N 45 E 1 " "

21 N. R. & E. 2nd Mer. Indiana.
Ch. Lk.

50.23 at B. Oak 20 in. diam.
70.50 at Beech 10 " "
80.00 Set post cu. to Secs. 11, 12, 13 & 14 from which
a Beech 8 in. diam. was S 21 E 21 W. dir. 9
a Do 19 " " " N 21 W 33 " "

East and Random Return Secs. 12 & 13 -
40.00 Set temp. gr. Sec. post.
80.03 Intersect E. Bound. line 120 W. N. of post.

West Corner Return Secs. 12 & 13 -
40.01½ Set gr. Sec. post at amago dir. from which
a Beech 6 in. diam. was N 45 E 2 W. dir. 9
a Do 7 " " " S 67 W 9 " "
80.03 To Sec. Corner.

North Return Secs. 11 & 12
20.23 a Hickory 12 in. diam.
36.25 at Beech 24 " "
40.00 Set gr. Sec. post from which
a Beech 9 in. diam. was S 87 W 12 W. dir. 9
a Do 28 " " " N 31 E 31 " "
60.52 a Do 16 " "
80.00 Set ~~gr.~~ Sec. post from which cu. 1, 2, 11 & 12
a B. Oak 38 in. diam. was S 54 E 35 W. dir. 9
a Hickory 28 " " " N 35 W 35 " "

East and Random Return Secs. 14 & 12
40.00 Set temp. gr. Sec. post.
79.90 Intersect E. Bound. line 116 W. N. of Post.

West Corner Return Secs. 14 & 12
39.95 Set gr. Sec. post at amago dir. from which
a B. Oak 4 in. diam. was S 79 E 4 W. dir. 9
an Elm 16 " " " S 86 W 31 " "
79.90 To Sec. Corner.

INDEX MAPS. **T. 21N, R. 8E. 2nd Mer.**

6	16	5	11	4	7	3	4	2	1	1
16		15		10		7		4		
7	15	8	10	9	7	10	5	11		12
15		14		10		6		3		
18	14	17	9	16	6	15	3	14		13
14		13		9		6		2		
19	13	20	9	21	5	22	2	23		24
13		13		9		5		2		
30	12	29	8	28	5	27	2	26		25
12		12		8		5		1		
31	11	32	8	33	4	34	1	35		36

Beginning in Vol. 18

T. 22N, R. 8E. 2nd Mer.

	23	23	22	22	22	22					
25	6	43	5	38	4	35	3	31	2	28	1 21
	42		42		38		34		31		28
24	7	42	8	37	9	34	10	31	11	27	12 21
	42		41		37		34		30		27
24	18	41	17	37	16	33	15	30	14	27	13 21
	41		40		36		33		30		27
24	19	40	20	36	21	33	22	30	23	26	24 21
	40		39		36		32		29		26
24	30	39	29	35	28	32	27	29	26	26	25 20
	39		38		35		32		29		25
23	31	38	32	35	33	32	34	28	35	25	36 20
	20		20		19		19		19		19

The figures on the lines refer to the page.

1

W. D. N. R. & Co. Ind. Mer. Indiana.

North Bottom Sec. 14 & 2
 13.52 a Hickory 28 in diam.
 30.95 a Beech 12 " "
 40.00 Set gr. Sec. post from which
 a Beech 16 in diam. bears S 44 N 37 W. dist. 9
 a Do 18 " " " N 33 E 17 " "
 63.39 a P. Ash 10 " "
 80.76 Intersect N. Bound. line 24 W. E. of post.
 when set post on to Sec. 14 & 2 from which
 a Beech 11 in diam. bears S 39 E 12 W. dist. 8
 a Hickory 12 " " " N 25 W 2 " "
 Sand lent 2nd rate. Timber Ash. Beech and
 Hickory. Undergrowth Ironwood & Spice
 October 28th 1892 -

North Bottom Sec. 34 & 35
 20.43 a Beech 8 in diam.
 40.00 Set gr. Sec. post from which
 a Beech 26 in diam. bears S 58 E 66 W. dist. 8
 an Ironwood 14 " " " N 36 W 21 " "
 60.26 an Elm 16 " "
 77.23 a Beech 24 " "
 80.00 Set post on to Sec. 26, 27, 34 & 35 fr. which
 a Beech 16 in diam. bears S 25 W 30 W. dist. 8
 a Do 18 " " " N 10 E 24 " "

East on Random Bottom Sec. 26 & 35 -
 40.00 Set temp gr. Sec. post -
 79.60 Intersect N. B. line 13 W. E. of post.

West Corner Bottom Sec. 26 & 35 -
 39.80 Set gr. Sec. post at an angle dist. from which
 a Beech 5 in diam. bears S 69 E 11 W. dist. 8
 a Do 4 " " " N 16 W 4 " "
 79.60 To Sec. Corner.

W. D. N. - R. & E. 9th Mer. Indiana.

North Return Sect. 26 & 27

- 22.00 at Beech 14 in. diam.
 34.03 at Hickory 18 " "
 40.00 Let g. Sec. post from which
 at Beech 21 in. diam. bears S 34 E 24 W. dir. of
 a Do 23 " " " N 11 W 31 " "
 67.81 a Do 20 " "
 80.00 Let post cut to Sect. 22. 23. 26 & 27 from which
 at Beech 8 in. diam. bears S 27 W 32 W. dir. of
 a B. ash 20 " " " N 88 E 5 " "

East on Random Return Sect. 23 & 26 -

- 40.00 Let temp. g. Sec. post.
 79.65 Intersect Mt. line 15 W. S. of post.

West Corner Return Sect. 23 & 26 -

- 39.82½ Let g. Sec. post at average dir. from which
 at Beech 20 in. diam. bears S 78 E 17 W. dir. of
 a Do 16 " " " N 38 W 20 " "
 79.65 S. Sec. Corner.

North Return Sect. 22 & 23 -

- 29.20 at Hickory 20 in. diam.
 40.00 Let g. Sec. post from which
 a B. ash 8 in. diam. bears S 11 E 22 W. dir. of
 a Do 10 " " " N 75 W 46 " "
 59.27 an Elm 28 " "
 71.46 at B. ash 30 " "
 80.00 Let post cut to Sect. 14. 15. 22 & 23 from which
 at Beech 15 in. diam. bears S 50 W 5 W. dir. of
 a Do 14 " " " N 7 E 15 " "

East on Random Return Sect. 14 & 23 -

- 40.00 Let g. Sec. post (temp.)
 80.01 Intersect Mt. line 50 W. S. of post.

3

of D. N. R. 8 E. 2nd Mer. Indiana.

40.00 $\frac{1}{2}$ Let q. Sec. post at amaze dist. from which
 a Buck 20 in. diam. has N 80 E 36 W. dist. 9
 a Do 30 " " " 480 W 9 " "
 80.01 To Sec. Corner.

North Return Sec. 14 & 15
 22.74 a Buck 20 in. diam.
 40.00 Let q. Sec. post from which
 a Buck 5 in. diam. has S 6 W 16 W. dist. 9
 a Do 14 " " " N 32 E 19 " "
 52.58 an Elm 24 " "
 61.56 a Stream 16 W. wide Corn. W.
 70.27 a Buck 12 in. diam.
 80.00 Let Post on to Sec. 10, 11, 14 & 15 from which
 an Iron rod 4 in. diam. has N 2 E 18 W. dist. 9
 a Buck 16 " " " N 8 W 40 " "
 October 29th 1822.

East and Random Return Sec. 11 & 14
 40.00 Let temp. q. Sec. post.
 79.89 Enter Sec. W. line 28 W. E. of post.

West Corner Return Sec. 11 & 14 -
 39.94 $\frac{1}{2}$ Let q. Sec. post at amaze dist. from which
 a Buck 8 in. diam. has N 6 E 34 W. dist. 9
 a Do 9 " " " S 64 W 11 " "
 79.89 To Sec. Corner.

North Return Sec. 10 & 11
 32.85 a B. Ash 18 in. diam.
 40.00 Let q. Sec. post from which
 a Buck 7 in. diam. has S 62 W 20 W. dist. 9
 a B. Ash 5 " " " N 21 E 23 " "
 61.76 an Elm 18 " "
 73.64 a Do 28 " "
 80.00 Let Post on to Sec. 2, 3, 10 & 11 from which

W. D. N. - W. R. & E. 9th Mer. Indiana.

at Buck 30 in. diam. bears S 16 W 26 W. dir. 8
 a Do 15 " " " N 39 E 23 " "

East and Random Return Sect. 2 & 11 -

40.00 Set q. Sec. post (temp.)

80.02 Intersect N. Bound. line 6 W. S. of post -

West Corner Return Sect. 2 & 11 -

40.01 Set q. Sec. post at amag. dir. from which
 an Ironwood 4 in. diam. bears N 57 E 21 W. dir. 8

at Buck 16 " " " S 46 W 19 " "

80.02 To Sec. Corner.

North Return Sect. 2 & 3 -

12.42 at B. Ash 16 in. diam.

35.05 at Buck 14 " "

40.00 Set q. Sec. post from which

at Buck 5 in. diam. bears S 29 E 2 W. dir. 8

a Do 6 " " " N 4 W 30 " "

66.85 at B. Ash 18 " "

81.00 Intersect N. Bound. line at post -

at Buck 30 in. diam. bears S 12 E 23 W. dir. 8

a Do 8 " " " N 35 W 18 " "

Land as last described -

North Return Sect. 33 & 34 -

19.97 a S. Ash 8 in. diam.

40.00 Set q. Sec. post from which

at Buck 4 in. diam. bears S 12 W 16 W. dir. 8

a Sugar 14 " " " N 20 E 19 " "

50.53 at Buck 22 " "

60.85 a Do 16 " "

80.00 Set post en. to Sect. 27, 28, 33 & 34 from which

at Buck 21 in. diam. bears S 33 W 7 W. dir. 8

an Ironwood 4 " " " N 52 E 18 " "

5

W. D. N. - W. & E. 2nd Mer. Indiana

East on Random between Secs. 27 & 34 -

40.00 Let g. Sec. post. (temp.)

79.90 Intersect Md. line 50 W. N. of post.

West corner between Secs. 27 & 34

39.95 Let g. Sec. post at an angle dir. from which
a Beech 18 in. diam. bears S 46 E 53 W. dist. 9
a B. ash 48 " " " N 46 W 28 " "

79.90 To Sec. corner.

North between Secs. 27 & 28 -

17.54 a Sugar 20 in. diam.

35.24 an Ironwood 4 " "

40.00 Let g. Sec. post from which

a Beech 16 in. diam. bears S 22 E 23 W. dist. 9
a Do 8 " " " N 45 W 18 " "

66.62 a Hickory 21 " "

80.00 Let post en. to Secs. 21, 22, 27 & 28 from which

a Beech 16 in. diam. bears S 10 W 29 W. dist. 8
a Do 14 " " " N 8 E 25 " "

October 30th. 1892.

East on Random between Secs. 22 & 27 -

40.00 Let g. Sec. post (temp.)

79.88 Intersect Md. line 32 W. N. of post.

West corner between Secs. 22 & 27 -

39.94 Let g. Sec. post at an angle dir. from which
a Beech 13 in. diam. bears S 31 W 3 W. dist. 8
a Do 4 " " " N 1 W 5 " "

79.88 To Sec. corner.

North between Secs. 21 & 22 -

16.35 a Beech 8 in. diam.

40.00 Let g. Sec. post from which

a Beech 8 in. diam. bears S 28 E 27 W. dist. 8

Q1 N. - R. 8 E. 2nd Mer. Indiana.

a Buck 20 in. diam. - Vans N6W 28 W. dist.
 57.68 a B. Ash 20 " "
 80.00 Set Post cor. to Sec. 15. 16. 21 & 22 from which
 a Buck 5 in. diam. - Vans S 77 W 12 W. dist. 9
 a Do 20 " " " N6E 5 " "

East in Random between Sec. 15 & 22.

40.00 Set temp. q. Sec. post
 79.56 Entered N. line 80 W. N. of post.

West corner between Sec. 15 & 22.

39.78 Set q. Sec. post at am age dist. from which
 a Buck 5 in. diam. - Vans S 56 E 15 W. dist. 8
 a Do 15 " " " N 75 W 33 " "
 79.56 To Sec. corner.

North between Sec. 15 & 16 -

12.68 a W. Oak 48 in. diam.
 35.97 a Buck 18 " "
 40.00 Set q. Sec. post from which
 a B. Ash 15 in. diam. - Vans S 64 E 6 W. dist. 9
 a B. Oak 49 " " " N 64 W 4 " "
 54.97 a Buck 8 " "
 64.43 a B. Oak 6 " "
 80.00 Set Post cor. to Sec. 9. 10. 15 & 16 from which
 a Buck 16 in. diam. - Vans S 60 E 29 W. dist. 8
 a Do 8 " " " N 50 W 3 " "

East in Random between Sec. 10 & 15 -

41.35 a Stream 15 W. wide corner N.E.
 40.00 Set temp. q. Sec. Post -
 70.56 a Stream 16 W. wide corner N.W.
 79.86 Entered N. line 100 W. N. of Post -

West corner between Sec. 10 & 15 -

39.98 Set q. Sec. post at am age dist. from which

7

of 21 N. - W. & E. 2nd Mer. Indiana.

an Ironwood 4 in. diam. bears S 58 E 12 W. dist. 8
 at B. ash 16 " " " N 32 W 23 " "
 79.86 To Lee. Corner.

North Return Sect. 9 & 10

14.70 at Beech 24 in. diam.
 46.00 Set q. Lee. post from which
 an Ironwood 4 in. diam. bears S 34 W 7 W. dist. 9
 at Beech 5 " " " N 5 E 17 " "
 50.76 an Ironwood 4 " "
 53.30 a Stream 20 W. side Corn. W.
 73.13 at Bur Oak 30 in. diam.
 80.00 Set post con. to Sect. 3 & 4. 9 & 10 from which
 at Beech 11 in. diam. bears S 40 E 35 W. dist. 8
 a Do 24 " " " N 4 W 4 " "

East or Random Return Sect. 3 & 10 -

40.00 Set temp. q. Lee. post.
 79.92 Intersect N. & S. line 64 W. N. of post.

West or Return Sect. 3 & 10 -

39.96 Set q. Lee. post at average dist. from which
 an Ironwood 5 in. diam. bears S 24 E 4 W. dist. 8
 a Do 3 " " " N 36 W 8 " "
 79.92 To Lee. Corner.

North Return Sect. 3 & 4 -

15.68 a Stream 50 W. side Corn. W.
 17.04 a Do 50 " " " S. E.
 19.65 " Do 46 " " " W.
 33.02 at Beech 8 in. diam.
 40.00 Set q. Lee. post from which
 at Beech 16 in. diam. bears S 35 E 48 W. dist. 8
 an Elm 24 " " " S 86 W 22 " "
 58.67 at W. Oak 8 " "
 59.50 Enter a Prairie

Q1 N. R. 8 E. 2nd Mer Indiana.

67.50 Lean the Prairie.

77.16 at Beech 20 in. diam.

79.16 Between st. Bound. line 37 W. N. of post.
when set post on to Secs. 3 & 4 from which
at Beech 16 in. diam. bears S 63 E 31 W. dist 8
a Do 15 " " " S 88 W 5 " "

October 31st 1822.

North Between Secs. 32 & 33 -

36.75 a Sugar 10 in. diam.

40.00 Set gr. Sec. post from which
at Beech 15 in. diam. bears S 58 W 16 W. dist 9
a Do 12 " " " N 9 E 10 " "

58.78 at B. Ash 26 " "

67.73 at Beech 18 " "

80.00 Set post on to Secs. 28, 29, 32 & 33 from which
at B. Ash 28 in. diam. bears S 56 E 11 W. dist 9
a S. Ash 6 " " " N 46 W 17 " "

East on Random between Secs. 28 & 33 -

40.00 Set temp. gr. Sec. post.

80.04 Between st. line 74 W. N. of post.

West Corner between Secs. 28 & 33 -

40.02 Set gr. Sec. post at angle dist. from which
at Beech 11 in. diam. bears S 38 E 23 W. dist 9
a Do 10 " " " N 79 W 10 " "

80.04 To Sec. Corner

North Between Secs. 28 & 29 -

23.97 a Spruce 24 in. diam.

34.80 at Beech 28 " "

40.00 Set gr. Sec. post from which
at W. Oak 40 in. diam. bears S 42 W 23 W. dist 9
at Beech 3 " " " N 3 E 11 " "

62.611 an Elm 28 " "

9

W. D. N. - R. 8 E. 3rd Mer. Indiana

80.00 Set post cu. to Sect. 20, 21, 28 & 29 from which
a Maple 25 in. diam. bears S 10 E 25 W. dist. 4
a Do 8 " " " N 25 W 14 " "

East on Random between Sect. 21 & 28 -

40.00 Set temp. gp. Sec. post -

80.20 Enter at Mt. line 53 W. N. of post -

West Corner between Sect. 21 & 28 -

40.10 Set gp. Sec. post at average dist. from which
a Beech 8 in. diam. bears N 80 E 23 W. dist. 4
a Do 7 " " " N 70 W 22 " "

80.20 To Sec. Corner

North between Sect. 20 & 21

35.98 a Beech 15 in. diam.

40.00 Set gp. Sec. post from which
a B. Ash 7 in. diam. bears S 98 E 28 W. dist. 4
a Do 8 " " " N 28 W 20 " "

56.65 a Beech 16 " "

68.78 a Do 25 " "

80.00 Set post cu. to Sect. 16, 17, 20 & 21 from which
a Beech 8 in. diam. bears S 11 W 33 W. dist. 4
a Do 14 " " " N 47 E 23 " "

East on Random between Sect. 16 & 21 -

40.00 Set temp. gp. Sec. post -

80.00 Enter at Mt. line 50 W. N. of post -

West Corner between Sect. 16 & 21 -

40.00 Set gp. Sec. post at average dist. from which
a Beech 18 in. diam. bears S 58 E 33 W. dist. 4
a Do 20 " " " N 37 W 16 " "

80.00 To Sec. Corner.

North between Sect. 16 & 17 -

21 N. - R. 8 E. 2nd Mer. Indiana

26.75 a Bush 10 in. diam.
 34.00 a Stream 14 W. side Corners N.W.
 40.00 Set q. Sec. post from which
 a Bush 5 in. diam. bears S 28 E 3 W. dist. 9
 a Do 4 " " " N 18 W 11 " "
 58.74 a Do 20 " "
 70.74 a Do 10 " "
 80.00 Set post cor. to Sect. 9 & 16. 8 & 17 from which
 a W. Oak 46 in. diam. bears S 32 W 12 W. dist. 9
 a Bush 10 " " " N 37 E 33 " "

East on Random between Sect. 9 & 16 -

17.48 a Stream 12 W. side Corners N.E.
 40.00 Set temp. q. Sec. post.
 79.85 Enter N.E. line 95 W. N. of post -

West corner between Sect. 9 & 16 -

39.92 1/2 Set q. Sec. post at an angle dist. from which
 a Bush 6 in. diam. bears N 75 E 22 W. dist. 9
 a Do 8 " " " S 66 W 24 " "
 79.85 To Sec. corner. November 1st 1832 -

North between Sect. 8 & 9

11.60 a Stream 17 W. side Corners W.
 34.80 a Bush 16 in. diam.
 40.00 Set q. Sec. post from which
 an Elm 6 in. diam. bears S 36 W 11 W. dist. 9
 a Ironwood 5 " " " N 50 E 13 " "
 54.50 a Sugar 16 " "
 61.64 a Stream 30 W. side Corners W.
 70.50 a W. Oak 36 in. diam.
 80.00 Set post cor. to Sect. 4 & 5. 8 & 9 from which
 a Bush 10 in. diam. bears S 16 E 30 W. dist. 9
 a Do 8 " " " N 22 W 14 " "

East on Random between Sect. 4 & 9 -

11

of Q1 N. - R. 8 E. 2nd Mer. Indiana.

20.50 a Steam 14 W. side Corn S.
 40.00 Let typ. gr. Sec. Post.
 47.55 a Steam 40 W. side Corn S. N.
 60.60 a Do 20 " " " N.
 79.66 Put out N. E. line 88 W. N. of post-

West Corner between Secs. 4 & 9 -
 39.83 Let gr. Sec. post at angle dist. from which
 a Buck 6 in. diam. was S 30 E 33 W. dist. 9
 a Do 18 " " " N 61 W 21 " "
 79.66 To Sec. Corner.

North Between Secs. 4 & 5 -
 22.31 a Buck 12 in. diam.
 34.25 a Do 16 " "
 40.00 Let gr. Sec. post from which
 a B. Ash 23 in. diam. was S 15 E 35 W. dist. 9
 an Elm 20 " " " N 44 W 44 " "
 57.76 a Buck 20 " "
 72.64 a Do 24 " "
 78.01 Put out N. Bound. line 35 W. N. of post -
 where set post en. to Secs. 4 & 5 from which
 a Buck 7 in. diam. was N 87 E 26 W. dist. 9
 a Do 18 " " " N 60 W 31 " "
 Sand & Timber as last described &c &c

North Between Secs. 31 & 32
 29.86 a Buck 12 in. diam.
 40.00 Let gr. Sec. Post from which
 a Buck 15 in. diam. was S 5 E 30 W. dist. 9
 a Do 22 " " " N 68 W 16 " "
 47.00 a Do 24 " "
 57.24 a Do 20 " "
 80.00 Set post en. to Secs. 29, 30, 31 & 32 from which
 a Buck 8 in. diam. was S 2 W 46 W. dist. 9
 a Do 8 " " " N 35 E 24 " "

21 N. - R. & E. 9th Mer. Indiana.

East at Random between Secs. 29 & 32.

40.00 Set temp. g. Sec. Post

80.00 Intersect Rd. line 100 W. N. of Post.

West Corner between Secs. 29 & 32.

40.00 Set g. Sec. Post at average dist. from which
an Iron rod 5 in. diam. bears S 73 E 15 W. dist. 4
a S. Ash 8 " " " West 15 " "

80.00 To Sec. Corner.

West between Secs. 30 & 31

10.74 a Buck 18 in. diam.

33.46 a Buckeye 19 " "

40.00 Set g. Sec. Post from which
a Buck 20 in. diam. bears N 20 E 22 W. dist. 9
a Do 18 " " " S 80 W 16 " "

43.34 a Stream 16 W. side Corn N -

59.76 a Sugar 30 in. diam.

81.56 Intersect W. Bound. line 44 W. S. of post.
when set post cor. to Secs. 30 & 31 from which
a Sugar 6 in. diam. bears N 84 E 16 W. dist. 9
a Buck 15 " " " S 74 W 38 " "
March 2nd 1822

North between Secs. 29 & 30 -

21.39 a Buck 12 in. diam.

30.94 a Do 14 " "

40.00 Set g. Sec. Post from which
a Buck 8 in. diam. bears S 20 W 35 W. dist. 9
a Sugar 24 " " " N 65 E 18 " "

41.42 a Stream 18 W. side Corn N.W.

60.02 a Buck 14 in. diam.

80.00 Set post cor. to Secs. 19, 20, 29 & 30 from which
a Buck 15 in. diam. bears S 60 E 8 W. dist. 9
a Hickory 28 " " " S 70 W 3 " "

13

W 21 N. - R. 8 E. 2nd Mer. Indiana

East in Random Return Sect. 20 + 29 -

40.00 Set g. Sec. post (temp.)

80.20 Enter at Mt. line 90 W. N. of post.

West Corner Return Sect. 20 + 29 -

40.10 Set g. Sec. post at approx dist. from which
a Beech 14 in. diam. was N 74 E 22 W. dist. 8
an Ironwood 6 " " " S 83 W 11 " "

80.20 To Sec. Corner.

West Return Sect. 19 + 30 -

15.59 a Beech 16 in. diam.

40.00 Set g. Sec. post from which

a Beech 15 in. diam. was N 72 E 14 W. dist. 9

a Do 8 " " " S 66 W 34 " "

48.74 a Do 18 " "

58.14 a Spruce 13 " "

73.84 a Stream 15 W. side Corn. N.W.

80.35 Enter at N. Bound. line 12 W. S. of post -

when set post Cu. to Sect. 19 + 30 from which

a Beech 24 in. diam. was N 64 E 34 W. dist. 8

a R. Oak 36 " " " S 26 W 24 " "

North Return Sect. 19 + 20

22.80 a B. Ash 24 in. diam.

33.42 a Stream 20 W. side Corn. N.

40.00 Set g. Sec. post from which

a Beech 14 in. diam. was S 65 W 21 W. dist. 8

a Do 16 " " " N 32 E 24 " "

56.85 a Do 26 " "

73.34 a Do 15 " "

80.00 Set post Cu. to Sect. 17, 18, 19 + 20 from which

a Beech 15 in. diam. was S 63 E 16 W. dist. 8

a Do 20 " " " N 50 W 13 " "

East in Random Return Sect. 17 + 20 -

Prof. D. N. R. & Co. 2nd Mer. Indiana

40.00 Let temp. gr. Sec. post.
80.13 Entered M^d. line 120 W. N. of post-

West Bottom Section 17 & 20-

40.06 $\frac{1}{2}$ Let gr. Sec. post at an a gr. dir. from which
a Buck 8 in. diam. bears N 52 E 15 W. dist. 9
a Do 15 " " " S 71 W 12 " "
80.13 To Sec. Corner

West Bottom Section 18 & 19-

17.40 a Buck 14 in. diam.
36.35 a Do 14 " "
40.00 Let gr. Sec. post from which
a B. Walnut 78 in. diam. bears N 30 E 11 W. dist. 9
a Sugar 28 " " " S 2 W 9 " "
60.02 a Stream 50 W. side Corn S. W.
67.34 a Buckeye 18 in. diam.
81.35 Entered W. Bound. line at post-
a Buck 15 in. diam. bears South 3 W. dist. 9
a Do 15 " " " N 32 W 30 " "

North Bottom Section 17 & 18

22.60 a Sugar 16 in. diam.
40.00 Let gr. Sec. post from which
a Buck 18 in. diam. bears S 25 W 16 W. dist. 9
a Elmwood 14 " " " N 43 E 27 " "
44.00 a Stream 50 W. side Corn W.
46.74 a Buck 12 in. diam.
61.86 a Do 15 " "
80.00 Let post cut to Sec. 7, 8, 17 & 18 from which
a Buck 18 in. diam. bears N 48 W 6 W. dist. 9
a Do 7 " " " N 40 E 18 " "

East or Random Bottom Section 8 & 17-

40.00 Let temp. gr. Sec. post - at Stream 42 W. side Corn S. W.
80.25 Entered M^d. line 150 W. N. of post-

15

No 21 N. - R. 8 D. 2nd Mer. Indiana.

West Corner Return Sec. 8 & 17 -

40.12 $\frac{1}{2}$ Let g. Sec. post at average dir. from which
 an Elm 42 in. diam. bears N 48 E 70 $\frac{1}{2}$ W. dist. 9
 a Hickory 8 " " " N 69 W 44 " "
 80.25 So Sec. Corner November 3rd 1822

West Return Sec. 7 & 18.

18.07 an Elm 15 in. diam.
 31.36 a Buck 24 "
 40.00 Let g. Sec. post from which
 a Buck 28 in. diam. bears N 73 E 21 W. dist. 9
 a Do 12 " " " S 80 W 25 " "
 60.00 a Do 24 " "
 79.80 Entered N. Bound. line 40 W. N. of post -
 when set post en. to Sec. 7 & 18 from which
 a Buck 15 in. diam. bears S 2 E 17 W. dist. 9
 a Do 18 " " " N 16 W 5 " "

North Return Sec. 7 & 8

27.71 a Buckeye 18 in. diam.
 37.72 a Hickory 12 " "
 40.00 Let g. Sec. post from which
 a Buck 16 in. diam. bears S 22 E 4 W. dist. 9
 a Do 26 " " " N 8 W 19 " "
 52.76 a W. Ash 20 " "
 80.00 Let post en. to Sec. 5, 6, 7 & 8 from which
 a Buck 14 in. diam. bears S 38 E 13 W. dist. 9
 a Sugar 24 " " " S 27 W 26 " "

East on Raydon Return Sec. 5 & 8 -

37.00 a Stream 20 W. side Corner S. W.
 40.00 Let temp. g. Sec. post -
 79.59 Entered N. line 129 W. N. of post

West Corner Return Sec. 5 & 8 -

39.79 $\frac{1}{2}$ Let g. Sec. post at average dir. from which

T. D. N. R. & E. 2nd Mer. Indiana

a Buck 14 in. diam. bears N 78 E 14th dist. 9
 a Do 15 " " " S 87 W 41 " "
 79.59 S. Sec. Corner.

West Bottom Sec. 6 & 7

25.78 a Hickory 15 in. diam.
 40.00 Set g. Sec. Post from which
 a Buck 15 in. diam. bears N 26 E 22th dist. 9
 a Do 5 " " " West 26 " "
 55.53 a Do 10 " "
 67.75 a Hickory 28 " "
 78.78 Intersect N. Bound. 30th dist. N. of post.
 when set Post en. to Sec. 6 & 7 from which
 a Buck 8 in. diam. bears S 72 E 45th dist. 9
 a Do 7 " " " N 42 W 16 " "

North Bottom Sec. 5 & 6 -

14.81 a Buck 28 in. diam.
 31.90 a W. Oak 38 " "
 40.00 Set g. Sec. Post from which
 a Buck 15 in. diam. bears S 57 W 37th dist. 9
 a Do 20 " " " N 37 E 23 " "
 60.09 a Do 12 " "
 78.65 a Do 30 " "
 80.66 Intersect N. Bound. line 3rd W. N. of post.
 when set Post en. to Sec. 5 & 6 from which
 a Hickory 8 in. diam. bears S 71 E 3rd dist. 9
 a Sugar 27 " " " N 46 W 4 " "
 Land & Timber about the same as last
 described -
 November 4th 1822 Surveyed by
 D. Willis Dep. Sur.

17

W 21 N. - R. 8 E. 2nd Mer. Indiana.

I certify that the foregoing transcript of
the Field Notes of Township 21 North, Range
8 East of the 2nd Meridian in Indiana,
has been compared with the original in
this office, and found to be correct.

Surveyor General's Office,
Cincinnati, October 15th 1842.

William Houston
Sur. Genl.